price list 2021
news

june

profilpas®

PP drain aqua

PP DRAIN AQUA - drain base + classic cover

PP Drain AQUA is a line of channels for floor-level showers made of AISI 316 stainless steel and equipped with a removable siphon in antibacterial ABS.
Elegant, simple to install and easy to clean, they stand out for the wide range of customization possibilities with any type of coating.



PP DRAIN AQUA - base with siphon

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ACCIAIO								
PP/	stainless steel AISI 316 DIN 1.4404		22100	22101	22102	22103	22104	22105
	euro/pc		137,20	144,00	155,50	162,30	171,90	185,50



PP DRAIN AQUA - base with tube diam. 50 mm

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ACCIAIO								
PP50/	stainless steel AISI 316 DIN 1.4404		22106	22107	22108	22109	22110	22111
	euro/pc		104,70	111,40	123,00	129,70	139,40	153,00



CLASSIC COVER - tile thickness from 6 to 18 mm

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ACCIAIO								
XPC/	polished stainless steel AISI 316 DIN 1.4404		22112	22113	22114	22115	22116	22117
	satin stainless steel AISI 316 DIN 1.4404		22118	22119	22120	22121	22122	22123
	euro/pc		82,80	89,90	98,50	115,50	122,00	136,50

Classic cover reversible, if turned upside down it can be tileable th. max 12 mm.

INVISIBLE COVER

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ALUMINIUM								
XPI/	silver anodised		22130	22131	22132	22133	22134	22135
	euro/pc		25,40	27,10	28,90	35,60	37,40	40,90



FLAT COVER - tile thickness from 6 to 18 mm

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ALUMINIUM + STAINLESS STEEL								
XPF/	polished stainless steel AISI 316 DIN 1.4404		22136	22137	22138	22139	22140	22141
	satin stainless steel AISI 316 DIN 1.4404		22142	22143	22144	22145	22146	22147
	euro/pc		52,70	57,60	63,10	74,90	81,90	92,10
ALUMINIUM + CHROMED STAINLESS STEEL								
XPF/	chromed stainless steel AISI 316 DIN 1.4404		22261	22262	22263	22264	22265	
	euro/pc		82,40	87,30	102,70	114,50	131,40	
COATED ALUMINIUM								
XPF/	matt white		22148	22149	22150	22151	22152	
	matt black		22154	22155	22156	22157	22158	
	euro/pc		44,90	46,80	48,70	56,70	58,70	

PP drain aqua

PP DRAIN AQUA - drain base + flat cover

PP DRAIN AQUA - drain base + design cover



FLAT COVER - tile thickness from 6 to 18 mm

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm
ALUMINIUM + STAINLESS STEEL							
XPF/	polished nichel		22226	22227	22228	22229	22230
	satin nichel		22231	22232	22233	22234	22235
	polished rose gold		22236	22237	22238	22239	22240
	euro/pc		**146,80**	**151,60**	**157,10**	**169,00**	**175,90**
	polished graphite		22241	22242	22243	22244	22245
	satin graphite		22246	22247	22248	22249	22250
	euro/pc		**156,70**	**161,50**	**167,00**	**178,90**	**185,80**
	polished gold		22251	22252	22253	22254	22255
	satin gold		22256	22257	22258	22259	22260
	euro/pc		**230,90**	**235,80**	**241,30**	**253,10**	**260,10**



DESIGN DESIGN - tile thickness from 6 to 18 mm

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
XPD/	polished stainless steel AISI 316 DIN 1.4404		22214	22215	22216	22217	22218	22219
	satin stainless steel AISI 316 DIN 1.4404		22220	22221	22222	22223	22224	22225
	euro/pc		**78,60**	**85,70**	**94,40**	**107,90**	**115,40**	**136,00**

glass profile



GPS1/DX/19 satin stainless steel AISI 304 DIN 1.4301

Glass Profile GPS1/ is a stainless steel profile for the insertion of glass walls of floorlevel showers.
GPS1/ is provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sloped surface.
On completion of the profile, there is GPS/6, the end cap for hiding the section of the glass wall.



GPS1/DX/19

GLASS PROFILE

pack 5 pcs

ART.		GPS1/ /19					
STAINLESS STEEL							
		RH	**LH**	**RH**	**LH**	**RH**	**LH**
length cm		98		120		148	
H2 mm		34		37		42	
matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	31506	31508	31516	31518	31526	31528
euro/pc		**82,31**	**82,31**	**89,15**	**89,15**	**101,39**	**101,39**

individually packed



GPS1/SX/19

GLASS PROFILE

end cap - pack 5 pcs

ART.			
STAINLESS STEEL			
GPS/6	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	31566
	euro/pc		**8,69**

no partial packaging



GPS/6

GPS2/19 satin stainless steel AISI 304 DIN 1.4301

Glass Profile GPS2/ is a stainless steel profile for the insertion of glass walls on the wall covering of floor-level showers.
It is easy to install, is suitable for tiles of any thickness and does not need drillings.
On completion of the profile, there is GPS/6, the end cap for hiding the section of the glass wall.



GPS2/19

GLASS PROFILE

pack 5 pcs

ART.		GPS2/19
STAINLESS STEEL		
length cm		210
matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	31545
euro/pc		**94,02**

individually packed

Complete the article code with DX or SX (DX=RH and SX=LH) - for example GPS1/ /19 RH becomes GPS1/DX/19.

glass profile



GPS3/SX/10 satin stainless steel AISI 304 DIN 1.4301

Glass Profile GPS3/ is a stainless steel profile provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sides of the sloped surface.



GPS3/DX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing		H	H2	RH	LH
STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	10	25	31616	31618
	euro/pc				**47,12**	**47,12**
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	11	26	31629	31630
	euro/pc				**47,44**	**47,44**
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	12,5	27,5	31626	31628
	euro/pc				**47,81**	**47,81**

individually packed



GPS3/SX/

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing		H	H2	RH	LH
STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	10	28	31646	31648
	euro/pc				**51,52**	**51,52**
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	11	29	31652	31654
	euro/pc				**52,15**	**52,15**
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	12,5	30,5	31656	31658
	euro/pc				**52,68**	**52,68**

individually packed

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing		H	H2	RH	LH
STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	10	33	31676	31678
	euro/pc				**58,19**	**58,19**
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	11	34	31682	31684
	euro/pc				**58,83**	**58,83**
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	■	12,5	35,5	31686	31688
	euro/pc				**59,47**	**59,47**

individually packed

Complete the article code with DX or SX (DX=RH and SX=LH)
(for example GPS3/ /10 RH becomes GPS3/DX/10).

glass profile



GPS4/SX/10 satin stainless steel AISI 304 DIN 1.4301

Glass Profile GPS4/ is a stainless steel profile provided with a 2% slope on the shower inner side. It connects the sloped floor and the covering perfectly, thus avoiding the oblique cut of the tiles.



GPS4/DX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing					
STAINLESS STEEL		**H**	**H2**	**RH**	**LH**
GPS4/ /10	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	10	23	31719	31720
	euro/pc			**46,53**	**46,53**
GPS4/ /11	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	11	23	31722	31724
	euro/pc			**46,80**	**46,80**
GPS4/ /12	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	12,5	23	31726	31728
	euro/pc			**46,95**	**46,95**

individually packed



GPS4/SX/

length = 120 cm - pack 5 pcs

ART.	finishing				
STAINLESS STEEL		**H**	**H2**	**RH**	**LH**
GPS4/ /10	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	10	26	31749	31750
	euro/pc			**50,94**	**50,94**
GPS4/ /11	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	11	26	31752	31754
	euro/pc			**51,20**	**51,20**
GPS4/ /12	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	12,5	26	31756	31758
	euro/pc			**51,37**	**51,37**

individually packed

length = 148 cm - pack 5 pcs

ART.	finishing				
STAINLESS STEEL		**H**	**H2**	**RH**	**LH**
GPS4/ /10	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	10	31	31779	31780
	euro/pc			**57,46**	**57,46**
GPS4/ /11	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	11	31	31782	31784
	euro/pc			**57,72**	**57,72**
GPS4/ /12	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	12,5	31	31786	31800
	euro/pc			**58,05**	**58,05**

individually packed

Complete the article code with DX or SX (DX = RH and SX = LH)
(for example GPS4/ /10 destro diventa GPS4/DX/10).

glass profile



GPS5/10/23 satin stainless steel AISI 304 DIN 1.4301

Glass Profile GPS5/ is a stainless steel profile to be positioned on the wall covering, above the shower drain with sloped surface, in order to avoid the cut of the tiles.



GPS5/

GLASS PROFILE

length = 125 cm - pack 5 pcs			H2	
ART.	**finishing**		**23**	**33**
STAINLESS STEEL		**H**		
GPS5/10/	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	10	31567	31568
	euro/Pc		**41,42**	**41,98**
GPS5/11/	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	11	31570	31571
	euro/pc		**41,55**	**42,14**
GPS5/12/	matt black RAL 9005 stainless steel AISI 304 DIN 1.4301	12,5	31573	31574
	euro/pc		**41,70**	**42,25**

individually packed

glass profile



GPS3/DX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS3/ /11	satin stainless steel AISI 304 DIN 1.4301	11	26	31619	31620
	euro/pc			39,11	39,11

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS3/ /11	satin stainless steel AISI 304 DIN 1.4301	11	29	31649	31650
	euro/pc			41,87	41,87

indivudally packed



GPS3/SX/

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS3/ /11	satin stainless steel AISI 304 DIN 1.4301	11	34	31679	31680
	euro/pc			46,32	46,32

individually packed



GPS4/DX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS4/ /11	satin stainless steel AISI 304 DIN 1.4301	11	23	31716	31718
	euro/pc			38,48	38,48

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS4/ /11	satin stainless steel AISI 304 DIN 1.4301	11	26	31746	31748
	euro/pc			41,02	41,02

individually packed



GPS4/SX/

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing	H	H2	RH	LH
STAINLESS STEEL					
GPS4/ /11	satin stainless steel AISI 304 DIN 1.4301	11	31	31776	31778
	euro/pc			45,16	45,16

individually packed



GPS5/

GLASS PROFILE

length = 125 cm - pack 5 pcs			H2	
ART.	finishing		23	33
STAINLESS STEEL		H		
GPS5/11/	satin stainless steel AISI 304 DIN 1.4301	11	31563	31572
	euro/pc		30,95	31,54

individually packed

Complete the article code with DX or SX (DX=RH and SX=LH)
(for example GPS3/ /10 RH becomes GPS3/DX/10).

glass profile



PAIG/ are special pre-formed pieces for waterproofing the internal corners of floor-level showers using Glass Profile and WPstop membrane.



PAIG/DX/



PAIG/SX/

WPSTOP - CORNERS FOR GLASS PROFILE GPS1 AND GPS3

ART.	measures	RH	LH
PAIG/ /15	internal corner - pack 10 pcs	19931	19932
	euro/pc (euro/pack)	**12,51 (125,10)**	**12,51 (125,10)**
PAIG/ /20	internal corner - pack 10 pcs	19933	19934
	euro/pc (euro/pack)	**12,51 (125,10)**	**12,51 (125,10)**
PAIG/ /28	internal corner - pack 10 pcs	19935	19936
	euro/pc (euro/pack)	**12,51 (125,10)**	**12,51 (125,10)**
PAIG/ /38	internal corner - pack 10 pcs	19937	19938
	euro/pc (euro/pack)	**12,51 (125,10)**	**12,51 (125,10)**

no partial packaging

WARNINGS
Store in a cool and dry place, avoiding direct exposure to sunlight and heat sources.
Please refer to the technical data sheet before the installation. For special installations, please contact our technical



GPS1/DX/19



GPS3/DX/



GPS1/SX/19



GPS3/SX/

Complete the article code with DX or SX (DX = RH and SX = LH)
(for example PAIG/ /15 RH becomes PAIG/DX/15).

Nano Technology LED strip spool

State of the art LED strip.



PROLIST

length = 270 cm - pack 10 pcs		H
ART.	**finishing**	**10**
ALUMINIUM		
LLA/20/10	silver anodised	84076
	euro/m	**10,49**

individually packed

Replacement insert in opal ABS for art. CLA/8, CLA/8A, LLA/20, LLA/20/10, LLA/30, LLB/30, SGA/11L, G/9/F, 126/L/F, 89/6L Cod. 84069 L. 270 cm - pack. 20 pcs. Euro/m 2,01



IP65



IP67

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING

ART.	**description**	
L5/NW/65NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP65	84118
	euro/m (euro/pack)	**25,14 (125,70)**
L5/NW/67NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP67	84122
	euro/m (euro/pack)	**30,85 (154,25)**
IR/C01NT	rapid fit connector for NT LED strip white light - pack 10 pcs	84413
	euro/pc (euro/pack)	**1,78 (17,80)**

no partial packaging

RAPID FIT CONNECTOR

cerfix® proangle - procorner

ZA/ silver anodised aluminium



PROANGLE

length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**11**
ALUMINIUM			
ZA/	titanium anodised		88257
	euro/m		**3,20**
ZV/	matt white RAL 9003 colour-coated	☐	88435
	white RAL 9003 colour-coated	☐	88436
	euro/m		**4,08**

individually packed

AI/ stainless steel AISI 304 - DIN 1.4301



PROANGLE

length = 270 cm - pack 20 pcs			H	
ART.	**finishing**		**15**	**20**
STAINLESS STEEL				
AIS/	satin stainless steel AISI 304 - DIN 1.4301		91678	91679
	euro/m		**10,18**	**11,77**

individually packed



210H/A

PROCORNER M

length = 300 cm - pack 30 pcs			LxL
ART.	**finishing**		**25x25**
ANTIBACTERIAL COLOUR-COATED ALUMINIUM			
210H/A	white RAL 9003	☐	76209
	euro/m		**10,39**

individually packed

Complete the article code with H measure
(for example ZV/ with H=11 becomes ZV/11).

cerfix® proround - projoint



GAN/10 silver anodised aluminium

Proround M in aluminum is a connection profile between floor and wall. The current requirements for sanitary maintenance required by European standards, provide in fact the elimination of the 90 ° to avoid any deposit of dirty and possible sources of bacteria, creating a curvature to facilitate cleaning.



GAN/
GVNH/

PROROUND M

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
GAN/	silver anodised		95034	95035	95036
	euro/m		**6,78**	**6,89**	**7,00**
GVNH/	white RAL 9003 antibacterial colour-coated		95037	95038	95039
	euro/m		**8,27**	**8,37**	**8,48**

individually packed

ACCESSORIES

pack 12 pcs			H			
ART.	**finishing**		**GTP/E**	**GTP/I**	**GTP/T**	**GTP/C**
POLYPROPYLENE						
	silver colour-coated		95121	95122	95123	95124
	euro/pc		**4,35**	**4,35**	**4,35**	**4,35**
	white RAL 9003 colour-coated		95125	95126	95127	95128
	eyro/pc		**4,35**	**4,35**	**4,35**	**4,35**

no partial packaging



GTP/E outside corner



GTP/I inside corner



GTP/T triaxial

GTP/C end cap

NIL/10 stainless steel AISI 304 + stone grey rubber

Projoint DIL NIN is a new expansion joint in stainless steel, with an interchangeable insert in elastic vinyl resin with section of 14 mm.
The structure of the joint allows to protect the edge of the tile and is able to withstand heavy traffic, both pedestrian and vehicular (forklifts, transpallets and cars).



NIL/

PROJOINT DIL

length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
STAINLESS STEEL						
NIL/	stainless steel AISI 304 - DIN 1.4301 + stone grey RAL 7030 rubber		99896	99897	99898	99899
	euro/m		**15,16**	**15,79**	**16,54**	**17,91**

individually packed - NIL/ available with black rubber upon request, minimum order 100 pcs

SPARE INSERT FOR NIL/

length = 270 cm - pack 20 pcs			
ART.	**finishing**		
GM12/L	stone grey RAL 7030		99987
	euro/m		**2,52**

Complete the article code with H measure
(for example NIL/ with H=10 becomes NIL/10).

cerfix® projoint

STI/40 stainless steel AISI 304 DIN 1.4301 + EPDM grey polishable RAL 7046

Projoint STA/ and STI/ are expansion joints for the division of floors laid with mortar, with inner section in vulcanized EPDM.
The metal structure easily stands up to the recurring pedestrian and vehicular traffic (forklift trucks, transpallets and cars).
It is particularly suitable for shopping malls and frequent passages of loads.
When laying it is recommended to use nr. 10 hooks (art. ST / 7) every meter.



STA/
STI/

PROJOINT DIL

lenght = 250 cm - pack 10 pcs			H		
ART.	**finishing**		**30**	**40**	**50**
ALUMINIUM					
STA/	natural aluminium + EPMD grey polishable RAL 7046		99581	99585	99589
	euro/m		**35,25**	**43,62**	**51,97**
STAINLESS STEEL					
STI/	stainless steel AISI 304 DIN 1.4301 + EPMD grey polishable RAL 7046		99621	99625	99629
	euro/m		**42,35**	**48,60**	**57,98**



ST/7

accessories

pack 100 pcs		H
ART.	**finishing**	
STEEL		
ST/7	steel hook for STA/ and STI/ profiles	99640
	euro/pc (euro/pack)	**0,53 (53,00)**

no partial packaging

Complete the article code with the measure H (example STA / for H = 40 becomes STA / 40).

On request we can make other sizes and colors for art. STA /, STI / and STO / contact our sales department.



CPNVF ancient grey colour-coated aluminium

Protec Flex CPCVF and CPNVF are two bendable perimeter profiles for the protection and the finishing of the outside edges of terraces and balconies. Provided with a special cutout, they are suitable for terraces and balconies with a bending radius up to 1 meter for CPCVF and 40 cm for CPNVF.



CPCVF/55/

PROTEC FLEX

length = 270 cm - pack 2 pcs		H
		12,5
ART. **finishing**		**CPCVF/55/12**
COLOUR-COATED ALUMINIUM		
ash grey RAL 7038		-
ash grey RAL 7038 embossed		87793
ancient grey		87794
euro/m		**21,88**

no partial packaging



CPNVF/45/

PROTEC FLEX

length = 270 cm - pack 2 pcs		H
		12,5
ART. **finishing**		**CPNVF/45/12**
COLOUR-COATED ALUMINIUM		
ash grey RAL 7038 embossed		87290
ancient grey		87291
euro/m		**18,65**

no partial packaging

For other heights and finishes of Flex profiles, please contact our Sales Department.

Complete the article code with H measure
(for example CPCVF/55/ with H=10 becomes CPCVF/55/10).

cerfix® protec

CPLV ash grey RAL 7038 colour-coated aluminium

Perimeter profiles for the protection and finishing of the external edges of raised floors, balconies and terraces.
The system is composed of a drilled base in natural aluminium (CPLB) to be screwed to the supports, and a visible part (CPLV) to be fixed with adhesive, available in different finishes of colour-coated aluminium and in different heights.
There are also special accessories for the creation of outside corners and junctions.
Another base in natural aluminium (CPLB/2) is available for the fixing with glued tiles.



CPLB
base for raised floors

PROTEC

length = 270 cm - pack 10 pcs			H
BASE			
ART.	**finishing**		**20**
ALUMINIUM			
CPLB	natural aluminium		86900
	euro/m		**18,70**

Upon request, version with draining holes available. Surcharge euro/m 2,24
Upon request, versions with H 15 and 25 available.



CPLB/2
base for glued tiles

PROTEC

length = 270 cm - pack 10 pcs			H
BASE			
ART.	**finishing**		**20**
ALUMINIUM			
NEW **CPLB/2**	natural aluminium		86901
	euro/m		**10,18**

PP LEVEL DUO® - ACCESSORIES

pack 5 pcs			
PPL/GM	noise-proof rubber 20x2 mm - 20 meters roll	19372	
	euro/m (euro/pack)	**2,01 (201,00)**	

no partial packaging



CPLV/

PROTEC

length = 270 cm - pack 10 pcs				H1	
FRONT					
ART.	**finishing**		**60**	**80**	**100**
COLOUR-COATED ALUMINIUM					
CPLV/	ash grey RAL 7038		86902	86904	86906
	ancient grey		86903	86905	86907
	stone	NEW	86908	86909	86910
	greige		86911	86912	86913
	sand		86914	86915	86916
	beige		86917	86918	86919
	euro/m		**13,85**	**16,06**	**18,13**

White RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ancient grey, ash grey RAL 7038 embossed and rust with a minimum of 270 meters, on request, without surcharge.
For different colours, please contact our Sales Department.



CPLV/ /E

90° OUTSIDE CORNER

pack 5 pcs				H1	
ART.	**finishing**		**60**	**80**	**100**
COLOUR-COATED ALUMINIUM					
CPLV/ /E	ash grey RAL 7038		86920	86922	86924
	ancient grey		86921	86923	86925
	stone	NEW	86926	86927	86928
	greige		86929	86931	86933
	sand		86935	86936	86937
	beige		86938	86939	86940
	euro/pc		**23,56**	**23,56**	**23,56**



CPLV/ /G

JUNCTION

width = 70 mm - pack 5 pcs				H1	
ART.	**finishing**		**60**	**80**	**100**
COLOUR-COATED ALUMINIUM					
CPLV/ /G	ash grey RAL 7038		86930	86932	86934
	ancient grey		86941	86942	86943
	stone	NEW	86944	86945	86946
	greige		86947	86948	86949
	sand		86950	86951	86952
	beige		86953	86954	86955
	euro/pc		**4,77**	**4,77**	**4,77**

no partial packaging

For a single piece, see sales conditions on page 305 of catal

unisystem plus - prestowood - projoint



Z/1/SF



C/7/SF



S/9/SF



22/A



50/A



63/A

UNISYSTEM / UNISYSTEM PLUS

length = 270 cm - pack 10 pcs

ALUMINIUM - decors ALCROM® PLUS

Z/1/SF	97 black	■	66433
euro/m			**10,00**
C/7/SF	97 black	■	66133
euro/m			**10,00**
S/9/SF	97 black	■	65821
euro/m			**10,00**

individually packed

PRESTOWOOD

length = 270 cm - pack 10 pcs

ALUMINIUM - decors ALCROM® PLUS

22/A	97 black	■	43996
euro/m			**7,10**
50/A	97 black	■	45095
euro/m			**7,10**
63/A	97 black	■	45175
euro/m			**9,12**

individually packed

PROJOINT T - SEPARATION JOINTS

length = 270 cm - pack 10 pcs

ALUMINIUM - decors ALCROM® PLUS

99/T/14	97 black	■	75095
euro/m			**4,45**

individually packed



99/T/14

metal line

90/6 white colour-coated aluminium

Metal Line 90 skirting boards, in aluminium and in different finishes and heights, create an elegant junction between the wall and the floor.
Thanks to the curved part, they perfectly hide the perimetral expansion gap of a floating floor.
Metal accessories for inside corners, outside corners, junctions and end caps are available.



90H/6SF

METAL LINE 90

length = 200 cm - pack 25 pcs			H cm
ANTIBACTERIAL COLOUR-COATED ALUMINIUM			**6**
90H/6SF	white RAL 9003 antibacterial colour-coated *euro/m*	☐	78104 **11,45**

individually packed



90H/6MI

METAL INSIDE CORNER

pack 4 pcs			H cm
ART.	**finishing**		**6**
90H/6MI	white RAL 9003 antibacterial colour-coated	☐	78690 **5,83**

no partial packaging



90H/6ME

METAL OUTSIDE CORNER

pack 4 pcs			H cm
ART.	**finishing**		**6**
90H/6ME	white RAL 9003 antibacterial colour-coated *euro/pc*	☐	78691 **5,83**

no partial packaging



90H/6MG

METAL JUNCTION

pack 4 pcs			H cm
ART.	**finishing**		**6**
90H/6MG	white RAL 9003 antibacterial colour-coated *euro/pc*	☐	78692 **5,83**

no partial packaging



90H/6MP

METAL RH-LH END CAPS

pack 4 pcs			H cm
ART.	**finishing**		**6**
90H/6MP	white RAL 9003 antibacterial colour-coated *euro/couple*	☐	78693 **6,04**

no partial packaging

89/6 white colour-coated aluminium

Metal Line 89 are skirting boards in aluminium, available in different finishes and characterized by an essential and square shape; with a height of 4, 6 and 8 cm, they delineate the space with care and elegance.
Fixed on the wall using suitable adhesives, they guarantee a perfect coverage of the perimeter expansions of floating floors and an excellent decorative function.



89H/6



89H/6EI

METAL LINE 89

length = 200 cm - pack 25 pcs		H cm
ANTIBACTERIAL COLOUR-COATED ALUMINIUM		**6**
89H/6	white RAL 9003 antibacterial colour-coated ☐	78531
	euro/m	**12,08**

indivudally packed

INSIDE/OUTSIDE CORNERS, RIGHT/LEFT END CAPS

pack 4 pcs		H cm
ART.	**finitura**	**6**
89H/6EI	white RAL 9003 antibacterial colour-coated ☐	78533
	euro/pc	**9,75**

no partial packaging

pp level duo®



PPL/5030/T

PPL/TD/GR

PPL/TD/TT

PPL/TT



kit PCC/04

PPL/S

PP LEVEL DUO® - JOIST FOR DECKING

length = 200 cm

ART.			Pack	Pallet
PPL/5030/T	joist for decking section 50x30x2 mm *euro/m (euro/pack)*	19389 9,33 (149,28)	8 pcs	160 pcs

no partial packaging

PP LEVEL DUO® - ACCESSORIES FOR JOISTS FOR DECKING

ART.			Pack	Pallet
PPL/TD/GR	connection for joists for decking *euro/pc (euro/pack)*	19387 2,97 (35,64)	12 pcs	
PPL/TD/TT	T connection for joists for decking *euro/pc (euro/pack)*	19388 4,98 (99,60)	20 pcs	

no partial packaging

PP LEVEL DUO® - HEAD AND ACCESSORIES FOR DOUBLE JOIST SYSTEM

ART.			Pack	Pallet
PPL/TT	T connection for joists *euro/pc (euro/pack)*	19375 5,83 (116,60)	20 pcs	

no partial packaging

PP LEVEL DUO® - ACCESSORIES

ART.			Pack	Pallet
PCC/04	clips for joists (base + head) *euro/kit (euro/pack)*	19386 13,14 (394,20)	30 kit	

no partial packaging

PP LEVEL DUO® AND PP LEVEL FIX ACCESSORIES

ART.			Pack	Pallet
PPL/S	rubber disk diameter 21 cm x thickness 0,2 cm *euro/pc (euro/pack)*	19385 0,80 (80,00)	100 pcs	
PPL/DLT	levelling disk for head diameter cm 12 x thickness 0,2 cm. *euro/pc (euro/pack)*	19378 0,74 (74,00)	100 pcs	
PPL/DLB	levelling disk for base diameter cm 21 x thickness 0,2 cm *euro/pc (euro/pack)*	19379 1,11 (111,00)	100 pcs	

no partial packaging

PPL/DLT





PPL/DLB

PROTILER

pack 15 pcs

ART.			Pack	
PTS	9.1 L bucket for accessories dim. Cm 28x19x23 h. *euro/pc (euro pack)*	18079 **5,83 (87,45)**	15 pcs	

no partial packaging



8611

PVC LINE

length 300 cm

ART.			Pack	
8611	silver 559 *euro/m*	29949 **1,48**	20 pcs	
8611/50	silver 559 *euro/m*	29949/50 **1,22**	50 pcs	

no partial packaging

Fix Level is a screw levelling system for floors and coverings of different thickness, particularly suitable for large size tiles.
The cylinder incorporates a disk for the protection of the covering surface against scratches during the levelling phase.

CYLINDER WITH ANTI-SCRATCH DISK

pack 10 bags with 50 pcs

ART.		
FL/C	cylinder	18027
	euro/pc (euro/bag)	**0,53 (26,50)**

no partial packaging

DISPOSABLE SCREW SPACER

pack 30 bags with 100 pcs

ART.		
KL/1	screw for 1-mm grouts and tile thicknesses from 3 to 20 mm	18016
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/1A	screw for 1,5-mm grouts and tile thicknesses from 3 to 20 mm	18019
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/2	screw for 2-mm grouts and tile thicknesses from 3 to 20 mm	18017
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/3	screw for 3-mm grouts and tile thicknesses from 3 to 20 mm	18018
	euro/pc (euro/bag)	**0,106 (10,60)**

no partial packaging

NEW

DISPOSABLE T-SCREW SPACER

pack 30 bags with 100 pcs

ART.		
KL/T1	T-screw for 1-mm grouts and tile thicknesses from 3 to 20 mm	18020
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/T2	T-screw for 2-mm grouts and tile thicknesses from 3 to 20 mm	18021
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/T3	T-screw for 3-mm grouts and tile thicknesses from 3 to 20 mm	18022
	euro/pc (euro/bag)	**0,106 (10,60)**

no partial packaging

NEW

DISPOSABLE CROSS SCREW SPACER

pack 30 bags with 100 pcs

ART.		
KL/X1	cross screw for 1-mm grouts and tile thicknesses from 3 to 20 mm	18023
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/X2	cross screw for 2-mm grouts and tile thicknesses from 3 to 20 mm	18024
	euro/pc (euro/bag)	**0,106 (10,60)**
KL/X3	cross screw for 3-mm grouts and tile thicknesses from 3 to 20 mm	18025
		0,106 (10,60)

no partial packaging

UNSCREWER FOR FIX LEVEL

pack 50 pcs

ART.		
SFL	unscrewer for Fix Level	18013
	euro/pc (euro/pack)	**0,753 (37,63)**

no partial packaging

sampleboard 16

sampleboard 16	XL DESIGN	02059	29,42
sampleboard 12/A	UNISYSTEM PLUS	02065	
sampleboard 12/B	PRESTOWOOD - PVC LINE	02066	
PRESTOWOOD bunch		00039	10,60



PRESTOWOOD bunch

PP Level DUO - double joist system sample	00047	12,93
box PP Level DUO sample + BROCHURE	00064	
GLASS PROFILE satin stainless steel sample	00072	1,59
GLASS PROFILE matt black colour-coated stainless steel sample	00078	2,44

PP Level DUO double joist system

brochure PROFILES FOR BALCONIES AND TERRACES IT/GB	00279	
brochure PROFILES FOR BALCONIES AND TERRACES FR/DE	00280	
brochure PROFILES FOR BALCONIES AND TERRACES ES/PT	00281	
brochure PROFILES FOR BALCONIES AND TERRACES CZ/PL	00288	
leaflet PROFILES FOR BALCONIES AND TERRACES IT/GB	00282	
leaflet PROFILES FOR BALCONIES AND TERRACES FR/DE	00283	
leaflet PROFILES FOR BALCONIES AND TERRACES ES/PT	00284	
leaflet PROFILES FOR BALCONIES AND TERRACES CZ/PL	00289	



GLASS PROFILE
sample
(nr. 1 GPS2/19 profile 15 cm)

ESPT

depliant PROF. FOR WOODEN AND LAMINATE FLOORS IT/GB		00285	
depliant PROF. FOR WOODEN AND LAMINATE FLOORS FR/DE		00286	
depliant PROF. FOR WOODEN AND LAMINATE FLOORS ES/PT		00287	
depliant PROF. FOR WOODEN ANDA LAMINATE FLOORS CZ/PL		00290	
brochure PROTILER IT/GB		00291	
brochure PROTILER FR/DE		00292	
brochure PROTILER ES/PT		00293	
brochure PROTILER CZ/PL		00294	
ESPT Expositor Protiler		11595	60,00

Profilpas S.p.A.

via Einstein, 38
35010 Cadoneghe
(Padova) Italy

tel. +39 049 8878412
fax +39 049 706692

info@profilpas.com
www.profilpas.com